

《英文論文一覽》

- 「Induction of ovulation with human menopausal gonadotropin ;with special reference to ovarian hyperstimulation syndrome and hormone excretion」
O.Narita、 Y.Shimosuka、 M.Suzuki、 T.Kimura、 T.Goto、 K.Higashide、 and Y.Yomoda(Nagoya Journal of Medical Science、 43 : 7,1980)
- 「Practical enzyme immunoassay for prolactin in human serum」
K.Ishikawa 、 O.Narita 、 H.Noguchi 、 and K.Kato (Clinica Chimica Acta,121,1,1982)
- 「Determination of ferritin in urine and in serum of normal adults with a sensitive enzyme immunoassay」
K.Ishikawa,O.Narita,H.Saito,and K.Kato.(Clinica Chimica Acta,123,73,1982)
- 「Successful pregnancies in patients with hyperprolactinemia-clinical and endocrinological studies on mothers and babies.」
T.Goto,O.Narita,N.Suganuma,M.Suzuki,Y.Tomoda,A.Kuwayama,and N.Kageyama (Acta Obst.Gynaec.Jpn.35(4):550,1983)
- 「post-proline endopeptidase in human placenta.」
S.Mizutani,S.Sumi,O.Suzuki,O.Narita,and Y.Tomoda(Biochim.et Biophys. Acta,786:113,1984)
- 「 Purification and properties of a human placental post-proline endopeptidase.」
S.Sumi,S.Mizutani,O.Narita,and Y.Tomoda(Acta Obst.Gynaec.Jpn.36 (10) : 1943,1984)
- 「Gestational Anemia and Serum Ferritin.」
K.Ishikawa,O.Narita,and H.Saito(The Japanese Society of Nuclear Medicine,21(4):305,1984)
- 「 Effect of Ethanol on Neutral Amino Acid Transport Systems in Microvillous Brush Border Membrane Vesicles Prepared from Human Placenta.」
M.Asai,O.Narita,and S.Kashiwamata.(IRCS Medical Science,12:961,1984)
- 「Angiotensin I-converting enzyme in human placenta.」

H.Taira,S.Mizutani,O.Narita,and Y.Tomoda.(Placenta,6:543,1985)

• 「In vitro degradation of oxytocin by pregnancy serum, placental subcellular fractions and purified placental aminopeptidases.」

S.Mizutani,S.Sumi,K.Oka,R.Yamada,O.Kurachi,H.Taira,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol,86:310,1985)

• 「Effects of acetaldehyde andlovethanol on natural amino acid transport systems in microvillous brush border membrane vesicles prepared from human placenta.」

M.Asai,O.Narita,and S.Kashiwamata.

• 「Maternal blood total oxypurines and erythrocyte 2,3-diphosphoglycerate levels during normal pregnancy.」

S.Mizutani,H.Akiyama,O.Kurachi,H.Taira,R.Yamada,O.Narita,and Y.Tomoda.(Zeitschrift fur Geburtshilfe and Perinatologie,18:934,1985)

• 「Rapid purification of human placental angiotensin I converting enzyme by capril affinity chromatography.」

H.Taira,S.Mizutani,O.Kurachi,O.Narita,and Y.Tomoda.(Chromatogr.339:399,1985)

• 「Plasma angiotensin I and serum placental leucine aminopeptidase(P-LAP) in pre-eclampsia.」

S.Mizutani,H.Akiyama,O.Kurauchi,H.Taira,O.Narita,and Y.Tomoda.(Arch.Gynecol.236:165,1985)

• 「Purification and properties of human placental dipeptidyl peptidase IV」

S.Mizutani,S.Sumi,O.Narita,and Y.Tomoda.(Acta Obst. Gynaec. Jpn,37(5):769,1985)

• 「In vitro degradation of angiotensin II (A- II)by human placental subcellular fractions, pregnancy sera and purified placental aminopeptidases.」

S.Mizutani,H.Akiyama,O.Kurauchi,H.Taira,S.Sumi,O.Narita,and Y.Tomoda.(Acta Endocrinol,110:135,1985)

• 「Plastic Unification of Double Uterus and the Outcome of Pregnancy.」

O.Narita,M.Asai,M.Ohsawa,N,Suganuma,S.Mizutani,and Y.Tomoda.(Surgery,161:152,1985)

- 「Relationship between Maternal Prolactin Levels during Pregnancy and Lactation in Women with Pituitary Adenoma.」
 O.Narita,M.Ohsawa,N.Suganuma,M.Asai,T.Masahashi,S.Mizutani,and Y.Tomoda.
 (Acta Obst.Gynaec.Jpn,37(5):758,1985)
- 「Binding Capacity of sex-Hormone-Binding Globulin and Free Testosterone Determination in Evaluation of Hirsute Women.」
 M.Ohsawa,Y.Ichikawa,M.C.Wu,N.Suganuma,M.Asai,T.Masahashi,O.Narita, Y.Tomoda,and M.Matsui.(Acta Obst.Gynaec.Jpn,37(3):416,1985)
- 「Cyclic Therapy Resulted in Pregnancy in Premature Ovarian Failure.」
 M.Ohsawa,M.C.Wu,M.Asai,T.Masahashi,O.Narita.(Obstet. and ,66(3):564,1985.)
- 「Premature Ovarian Failure in a Woman with 47,XXX Karyotype Following Gonadotropin Treatment.」
 M.Ohsawa,M.C.Wu,T.Masahashi,M.Asai,O.Narita.(Congenital Anomalies,225(2):145,1985)
- 「Measurement of human prolactin messenger RNA in decidual tissues using complementary DNA probecloned in M13mp9 bacteriophage.」
 N.Suganuma,H.Seo,O.Narita,Y.Tomoda,and N.Matsui.(Acta Obstet. Gynecol.Jpn.38(2):253,1986)
- 「Ontogenesis of pituitary prolactin in human fetus.」
 N.Suganuma,H.Seo,N.Yamamoto,F.kikkawa,O.Narita,Y.Tomoda,and N.Matsui.(J.Clin.Endocrinol.Metab,63(1):156,1986)
- 「Effects of bestatin, its related compounds, puromycin and bacitracin on human oxytocinase and microsomal placental leucine aminopeptidase.」
 S.Mizutani,O.Kurauchi,R.Yamada,O.Narita,and Y.Tomoda.(IRCS Medical Science,14:270,1986)
- 「 Purification and characterization of human placental microsomal aminopeptidase;Immunological difference between placental microsomal aminopeptidase and pregnancy serum cystyl-aminopeptidase.」

O.Kurauchi,S.Mizutani,K.Okano,O.Narita,and
Y.Tomoda.(Enzyme,35(4):197,1986)

• 「Role of sex-hormone-binding globulin and free sex steroid hormones in hyperandrogenic anovulation.」

M.Ohsawa,M.Asai,T.Masahashi,O.Narita,Y.Tomoda,and N.Matsui.(Acta Obstet.Gynaecol.Jpn,38(11):2081,1986)

• 「Role of adrenal androgens and defective 11- β -hydroxylation in hyperandrogenic anovulatory women.」

O.Narita,T.Masahashi,M.Asai,M.Osawa,F.Kikkawa,K.Hanai,M.Ohwaki,N.Suganuma,S.Mizutani,and Y.Tomoda.(Japan J Fertil Steril,31:385-391,1986)

• 「Prolactin.」

K.Kato,K.Ishikawa,and O.Narita.(Method of Enzymatic Analysis,Vol.9,373,1986)

• 「Determination of serum Δ^5 -3 β -hydrokysteroid sulfates by combined high-performance liquid chromatography and immobilized 3 β ,17 β -hydroxy-steroid dehydrogenase in column form.」

M.C.Wu,K.Takagi,S.Okuyama,M.Ohsawa,T.Masahashi,O.Narita,and Y.Tomoda.(J.Chromatogr,377:121,1986)

• 「Conservative surgery for infertile patients with pelvic endometriosis-factors affecting the cumulative rate of pregnancy and expectancy-」

M.Asai,S.Mizutani,O.Narita,and Y.Tomoda.(Acta Obstet.Gynaecol.Jpn,38(10):1763,1986)

• 「Serum Aminopeptidase A(AAP) in Normal Pregnancy and Pregnancy Complicated by Pre-Eclampsia.」

S.Mizutani,R.Yamada,O.Kurauchi,Y.Ito,O.Narita,and Y.Tomoda.(Arch.Gynecol.240:27,1987)

• 「Effect of Microsomal Leucine Aminopeptidase from Human Placenta (microsomal P-LAP) on Pressor Response to Infused Angiotensin II (A-II) in Rat.」

S.Mizutani,H.Taira,O.Kurauchi,Y.Ito,H.Imaizumi,M.Furuhashi,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol,90:206,1987)

• 「SEX-RELATED DIFFERENCES OF ONTOGENESIS OF RAT PROLACTIN SYNTHESIS AND SECRETION.」

H.Oguri,N.Suganuma,N.Yamamoto,O.Narita,Y.Tomoda,N.Matsui,and H.Seo.(KYOTO PROLACTIN CONFERENCE MONOGRAPH,3:71,1988)

• 「Effects of the antibody for human placental angiotensin converting enzyme and captopril on angiotensin I pressor response during pregnancy.」
S.Mizutani,H.Taira,O.Kurauchi,M.Furuhashi,S.Nomura,S.Abe,R.Hotta,M.Kasugai,O.Narita,and Y.Tomoda.(Med.Sci.Res.16,697-698,1988)

• 「Simultaneous assay for individual sulphated 3α - and β -hydroxysteroids in serum using high-performance liquid chromatography combined with 3α - and β -hydroxysteroid hydrogenases immobilized on one column.」
K.Takagi,K.Okumura,N.Morikawa,S.Okuyama,M.Wu,and O.Narita.(J.Chromatogr.432:47,1988)

• 「Serum CA125 levels in patients with endometriosis:Changes in CA125 levels during menstruation.」
T.Masahashi,K.Matsuzawa,M.Osawa,O.Narita,T.Asai,and M.Ishihara.(Obstet.Gynecol.72:328,1988)

• 「In vitro degeneration of opioid peptides by human placental aminopeptidase M.」
M.Furuhashi,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol.92:235~237,1989)

• 「Positive effect of estradiol and progesterone in severe pre-eclampsia.」
S.Mizutani,O.Kurauchi,Y.Ito,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol.92:161-170,1989)

• 「Purification and characterization of human placental aminopeptidase A.」
R.Yamada,S.Mizutani,O.Kurauchi,K.Okano,H.Imaizumi,O.Narita,and Y.Tomoda.(Enzyme,40:223-230,1989)

• 「Purification and properties of microsomal carboxypeptidase N(Kininase I) in human placenta.」
Y.Ito,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and Y.Tomoda.(Enzyme,42:8-14,1989)

• 「A comparison of the hypotensive effects of met-enkephalin in normotensive and spontaneously hypertensive rats.」
S.Nomura,S.Mizutani,O.Kurauchi,M.Furuhashi,M.Kasugai,O.Narita,and Y.Tomoda.(Res.Commun.Chem.Pathol.Pharmacol,64:169-172,1989)

- 「Increased sensitivity to bradkinin in pregnant rats.」
 S.Mizutani, Y.Ito, S.Nomura, O.Kurauchi, M.Kasugai, O.Narita, and
 Y.Tomoda. (Res. Commun. Chem. Pathol. Pharmacol, 64:373-380, 1989)
- 「The ontogeny of growth hormone in the human fetal pituitary.」
 N.Suganuma, H.Seo, N.Yamamoto, F.Kikkawa, H.Oguri, O.Narita, and
 Y.Tomoda. (Am.J. Obstet. Gynecol. 160:729-733, 1989)
- 「Effects of pregnancy, delivery and lactation in hyperprolactinemia with
 prolactin producing pituitary adenoma.」
 I.Kondo, N.Suganuma, T.Kimura, K.Matsuzawa, M.Osawa, T.Masahashi, S.Miz
 utani, O.Narita, and Y.Tomoda. (Acta. Obst. Gynaec. Jpn. 41:695-700, 1989)
- 「Expression of low density lipoprotein receptor gene in human placenta
 during pregnancy.」
 M.Furuhashi, H.Seo, S.Mizutani, O.Narita, Y.Tomoda, and
 N.Matsui. (Mol. Endocrinol. 3:1252-1256, 1989)
- 「Increased serum Kinase I activity in Pregnancy Complicated by
 pre-eclampsia.」
 Y.Ito, S.Mizutani, S.Nomura, O.Kurauchi, M.Kasugai, O.Narita, and
 Y.Tomoda. (Horm. Metabol. Res. 22:252-255, 1990)
- 「A Comparison of Binding of Angiotensin II (A-II) to Human Placenta
 between Normal and Severe Pre-Eclamptic Pregnancy.」
 O.Kurauchi, S.Mizutani, S.Nomura, M.Kasugai, O.Narita, and
 Y.Tomoda. (J. Med. 21:209-216, 1990)
- 「Effects of Low Molecular Weight Peptides and Divalent Cations on
 Degradation and Binding of Angiotensin II.」
 S.Nomura, S.Mizutani, O.Kurauchi, M.Kasugai, O.Narita, and
 Y.Tomoda. (Horm. Metabol. Res. 22(8):444-448, 1990)
- 「Identification of Two Subtypes of Protein Kinase C in Human Placenta.」
 S.Nomura, H.Tokumitsu, S.Mizutani, O.Narita, Y.Tomoda, and
 H.Hidaka. (Placenta, 12:605-613, 1991)
- 「Induction by cortisol of aminopeptidases production from the human
 placenta.」
 Y.Yasuda, S.Mizutani, O.Kurauchi, M.Kasugai, O.Narita, and
 Y.Tomoda. (Horm. Metabol. Res. 24:110-114, 1992)

• 「Menotropin Stimulation After Prolonged Gonadotropin Releasing Hormone Agonist. Pretreatment for In Vitro Fertilization in Patient with Endometriosis.」

K.Nakamura,M.Osawa,I.Kondo,S.Inagaki,H.Shibata,O.Narita,N.Suganuma ,and Y.Tomoda.(Journal of Assisted Reproduction and Genetics.9:113-117,1992)

• 「Long term pretreatment for IVF in patient with endometriosis.」

K.Nakamura,I.Kondo,S.Inagaki,T.Kitagawa,H.Fukugaki,M.Osawa,N.Suganuma,O.Narita,and Y.Tomoda.(Advances Contraceptive Technology,8:99-1056,1992)

• 「Successful ovarian follicle stimulation by pure FSH/GnRH analog for IVF/ET.」

K.Yamaguchi,K.Nakamura,N.Suganuma,I.Kondo,Y.Asada,O.Narita,and Y.Tomoda.(Assisted Reproductive Technology/Andrology,3:305-313,1992)

• 「Source of prolactin in follicular fluid.」

M.Ohwaki,N.Suganuma,H.Seo,A.Nawa,F.Kikkawa,O.Narita,N.Matsui,and Y.Tomoda.(Endocrinol.Japon,39(6):601-607,1992)