

《学術論文一覽（英文）》

<1980年>

- 「Induction of ovulation with human menopausal gonadotropin ;with special reference to ovarian hyperstimulation syndrome and hormone excretion」
O.Narita, Y.Shimosuka, M.Suzuki, T.Kimura, T.Goto, K.Higashide, and Y.Yomoda(Nagoya Journal of Medical Science, 43 : 7,1980)

<1982年>

- 「Practical enzyme immunoassay for prolactin in human serum」
K.Ishikawa, O.Narita, H.Noguchi, and K.Kato (Clinica Chimica Acta,121,1,1982)
- 「Determination of ferritin in urine and in serum of normal adults with a sensitive enzyme immunoassay」
K.Ishikawa,O.Narita,H.Saito,and K.Kato.(Clinica Chimica Acta,123,73,1982)

<1983年>

- 「Successful pregnancies in patients with hyperprolactinemia-clinical and endocrinological studies on mothers and babies.」
T.Goto,O.Narita,N.Suganuma,M.Suzuki,Y.Tomoda,A.Kuwayama, and N.Kageyama (Acta Obst.Gynaec.Jpn.35(4):550,1983)

<1984年>

- 「post-proline endopeptidase in human placenta.」
S.Mizutani, S.Sumi, O.Suzuki, O.Narita, andY.Tomoda (Biochim.et Biophy. Acta,786:113,1984)
- 「Purification and properies of a human placental post-proline endopeptidase.」
S.Sumi,S.Mizutani,O.Narita,and Y.Tomoda(Acta Obst.Gynaec.Jpn.36 (10) : 1943,1984)
- 「Gestational Anemia and Serum Ferritin.」
K.Ishikawa,O.Narita,and H.Saito(The Japanese Society of Nuclear Medicine,21(4):305,1984)
- 「Effect of Ethanol on Neutral Amino Acid Transport Systems in Microvillous Brush Border Membrane Versicles Prepared from Human Placenta.」
M.Asai,O.Narita,and S.Kashiwamata.(IRCS Medical Science,12:961,1984)

<1985年>

- 「Angiotensin I-converting enzyme in human placenta.」
H.Taira,S.Mizutani,O.Narita,and Y.Tomoda.(Placenta,6:543,1985)

- 「In vitro degradation of oxytocin by pregnancy serum, placental subcellular fractions and purified placental aminopeptidases.」
 S.Mizutani,S.Sumii,K.Oka,R.Yamada,O.Kurachi,H.Taira,O.Narita,and
 Y.Tomoda.(Exp.Clin.Endocrinol,86:310,1985)
- 「Effects of acetaldehyde andlovethanol on natural amino acid transport systems in microvillous brush border membrane vesicles prepared from human placenta.」
 M.Asai,O.Narita,and S.Kashiwamata.
- 「Maternal blood total oxypurines and erythrocyte 2,3-diphosphoglycerate levels during normal pregnancy.」
 S.Mizutani,H.Akiyama,O.Kurachi,H.Taira,R.Yamada,O.Narita,and Y.Tomoda.(Zeitschrift fur
 Geburtshilfe and Perinatologie,18:934,1985)
- 「Rapid purification of human placental angiotensin I converting enzyme by capril affinity chromatography.」
 H.Taira,S.Mizutani,O.Kurachi,O.Narita,and Y.Tomoda.(Chromatogr.339:399,1985)
- 「Plasma angiotensin I and serum placental leucine aminopeptidase(P-LAP) in pre-eclampsia.」
 S.Mizutani,H.Akiyama,O.Kurauchi,H.Taira,O.Narita,and Y.Tomoda.(Arch.Gynecol.236:165,1985)
- 「Purification and properties of human placental dipeptidyl peptidase IV」
 S.Mizutani,S.Sumii,O.Narita,and Y.Tomoda.(Acta Obst. Gynaec. Jpn,37(5):769,1985)
- 「In vitro degradation of angiotensin II (A-II) by human placental subcellular fractions, pregnancy sera and purified placental aminopeptidases.」
 S.Mizutani,H.Akiyama,O.Kurauchi,H.Taira,S.Sumii,O.Narita,and Y.Tomoda.(Acta
 Endocrinol,110:135,1985)
- 「Plastic Unification of Double Uterus and the Outcome of Pregnancy.」
 O.Narita,M.Asai,M.Ohsawa,N,Suganuma,S.Mizutani,and Y.Tomoda.(Surgery,161:152,1985)
- 「Relationship between Maternal Prolactin Levels during Pregnancy and Lactation in Women with Pituitary Adenoma.」
 O.Narita,M.Ohsawa,N,Suganuma,M.Asai,T.Masahashi,S.Mizutani,and Y.Tomoda.
 (Acta Obst.Gynaec.Jpn,37(5):758,1985)
- 「Binding Capacity of sex-Hormone-Binding Globulin and Free Testosterone Determination in Evaluation of Hirsute Women.」
 M.Ohsawa,Y.Ichikawa,M.C.Wu,N.Suganuma,M.Asai,T.Masahashi,O.Narita,Y.Tomoda,and
 M.Matsui.(Acta Obst.Gynaec.Jpn,37(3):416,1985)

• 「Cyclic Therapy Resulted in Pregnancy in Premature Ovarian Failure.」
M.Ohsawa,M.C.Wu,M.Asai,T.Masahashi,O.Narita.(Obstet. and ,66(3):564,1985)

• 「Premature Ovarian Failure in a Woman with 47,XXX Karyotype Following Gonadotropin Treatment.」
M.Ohsawa,M.C.Wu,T.Masahashi,M.Asai,O.Narita.(Congenital Anomalies,225(2):145,1985)

<1986年>

• 「Measurement of human prolactin messenger RNA in decidual tissues using complementary DNA probecloned in M13mp9 bacteriophage.」
N.Suganuma,H.Seo,O.Narita,Y.Tomoda,and N.Matsui.(Acta Obstet. Gynecol.Jpn.38(2):253,1986)

• 「Ontogenesis of pituitary prolactin in human fetus.」
N.Suganuma,H.Seo,N.Yamamoto,F.kikkawa,O.Narita,Y.Tomoda,and
N.Matsui.(J.Clin.Endocrinol.Metab,63(1):156,1986)

• 「Effects of bestatin, its related compounds, puromycin and bacitracin on human oxytocinase and microsomal placental leucine aminopeptidase.」
S.Mizutani,O.Kurauchi,R.Yamada,O.Narita,and Y.Tomoda.(IRCS Medical Science,14:270,1986)

• 「Purification and characterization of human placental microsomal aminopeptidase;Immunological difference between placental microsomal aminopeptidase and pregnancy serum cystyl-aminopeptidase.」
O.Kurauchi,S.Mizutani,K.Okano,O.Narita,and Y.Tomoda.(Enzyme,35(4):197,1986)

• 「Role of sex-hormone-binding globulin and free sex steroid hormones in hyperandrogenic anovulation.」
M.Ohsawa,M.ASai,T.Masahashi,O.Narita,Y.Tomoda,and N.Matsui.(Acta
Obstet.Gynaecol.Jpn,38(11):2081,1986)

• 「Role of adrenal androgens and defective 11-β-hydroxylation in hyperandrogenic anovulatory women.」
O.Narita,T.Masahashi,M.Asai,M.Osawa,F.Kikkawa,K.Hanai,M.Ohwaki,N.Suganuma,S.Mizutani,an
d Y.Tomoda.(Japan J Fertil Steril,31:385-391,1986)

• 「Prolactin.」
K.Kato,K.Ishikawa,and O.Narita.(Method of Enzymatic Analysis,Vol.9,373,1986)

• 「Determination of serum $\Delta^5-3\beta$ -hydrokysteroid sulfates by combined high-performance liquid chromatography and immobilized $3\beta,17\beta$ -hydroxy-steroid dehydrogenase in column form.」
M.C.Wu,K.Takagi,S.Okuyama,M.Ohsawa,T.Masahashi,O.Narita,and
Y.Tomoda.(J.Chromatogr,377:121,1986)

- 「Conservative surgery for infertile patients with pelvic endometriosis-factors affecting the cumulative rate of pregnancy and expectancy-」
M.Asai,S.Mizutani,O.Narita,and Y.Tomoda.(Acta Obstet.Gynaecol.Jpn,38(10):1763,1986)

<1987 年>

- 「Serum Aminopeptidase A(AAP) in Normal Pregnancy and Pregnancy Complicated by Pre-Eclampsia.」
S.Mizutani,R.Yamada,O.Kurauchi,Y.Ito,O.Narita,and Y.Tomoda.(Arch.Gynecol.240:27,1987)
- 「Effect of Microsomal Leucine Aminopeptidase from Human Placenta (microsomal P-LAP) on Pressor Response to Infused Angiotensin II (A-II) in Rat.」
S.Mizutani,H.Taira,O.Kurauchi,Y.Ito,H.Imaizumi,M.Furuhashi,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol,90:206,1987)

<1988 年>

- 「SEX-RELATED DIFFERENCES OF ONTOGENESIS OF RAT PROLACTIN SYNTHESIS AND SECRETION.」
H.Oguri,N.Suganuma,N.Yamamoto,O.Narita,Y.Tomoda,N.Matsui,and H.Seo.(KYOTO PROLACTIN CONFERENCE MONOGRAPH,3:71,1988)
- 「Effects of the antibody for human placental angiotensin converting enzyme and captopril on angiotensin I pressor response during pregnancy.」
S.Mizutani,H.Taira,O.Kurauchi,M.Furuhashi,S.Nomura,S.Abe,R.Hotta,M.Kasugai,O.Narita,and Y.Tomoda.(Med.Sci.Res.16,697-698,1988)
- 「Simultaneous assay for individual sulphated 3 α -and β -hydroxysteroids in serum using high-performance liquid chromatography combined with 3 α -and β -hydroxysteroid hydrogenases immobilized on one column.」
K.Takagi,K.Okumura,N.Morikawa,S.Okuyama,M.Wu,and O.Narita.(J.Chromatoger.432:47,1988)
- 「Serum CA125 levels in patients with endometriosis:Changes in CA125 levels during menstruation.」
T.Masahashi,K.Matsuzawa,M.Osawa,O.Narita,T.Asai,and M.Ishihara.(Obstet.Gynecol.72:328,1988)

<1989 年>

- 「In vitro degeneratin of opioid peptides by human placental aminopeptidase M.」
M.Furuhashi,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol.92:235~237,1989)
- 「Positive effect of estradiol and progesterone in severe pre-eclampsia.」
S.Mizutani,O.Kurauchi,Y.Ito,O.Narita,and Y.Tomoda.(Exp.Clin.Endocrinol.92:161-170,1989)

- 「Purification and characterization of human placental aminopeptidase A.」
 R.Yamada,S.Mizutani,O.Kurauchi,K.Okano,H.Imaizumi,O.Narita,and
 Y.Tomoda.(Enzyme,40:223-230,1989)
- 「Purification and properties of microsomal carboxypeptidase N(Kininase I) in human placenta.」
 Y.Ito,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and Y.Tomoda.(Enzyme,42:8-14,1989)
- 「A comparison of the hypotensive effects of met-enkephalin in normotensive and spontaneously
 hypertensive rats.」
 S.Nomura,S.Mizutani,O.Kurauchi,M.Furuhashi,M.Kasugai,O.Narita,and
 Y.Tomoda.(Res.Commun.Chem.Pathol.Pharmacol,64:169-172,1989)
- 「Increased sensitivity to bradkinin in pregnant rats.」
 S.Mizutani,Y.Ito,S.Nomura,O.Kurauchi,M.Kasugai,O.Narita,and
 Y.Tomoda.(Res.Commun.Chem.Pathol.Pharmacol,64:373-380,1989)
- 「The ontogeny of growth hormone in the human fetal pituitary.」
 N.Suganuma,H.Seo,N.Yamamoto,F.Kikkawa,H.Oguri,O.Narita,and
 Y.Tomoda.(Am.J.Obstet.Gynecol.160:729-733,1989)
- 「Effects of pregnancy, delivery and lactation in hyperprolactinemia with prolactin producing
 pituitary adenoma.」
 I.Kondo,N.Suganuma,T.Kimura,K.Matsuzawa,M.Osawa,T.Masahashi,S.Mizutani,O.Narita,and
 Y.Tomoda.(Acta.Obst.Gynaec.Jpn.41:695-700,1989)
- 「Expression of low density lipoprotein receptor gene in human placenta during pregnancy.」
 M.Furuhashi,H.Seo,S.Mizutani,O.Narita,Y.Tomoda,and
 N.Matsui.(Mol.Endocrinol.3:1252-1256,1989)

<1990年>

- 「Increased serum Kinase I activity in Pregnancy Complicated by pre-eclampsia.」
 Y.Ito,S.Mizutani,S.Nomura,O.Kurauchi,M.Kasugai,O.Narita,and
 Y.Tomoda.(Horm.Metabol.Res.22:252-255,1990)
- 「A Comparison of Binding of Angiotensin II (A-II) to Human Placenta between Normal and
 Severe Pre-Eclamptic Pregnancy.」
 O.Kurauchi,S.Mizutani,S.Nomura,M.Kasugai,O.Narita,and Y.Tomoda.(J.Med.21:209-216,1990)
- 「Effects of Low Molecular Weight Peptides and Divalent Cations on Degradation and Binding of
 Angiotensin II.」
 S.Nomura,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and
 Y.Tomoda.(Horm.Metabol.Res.22(8):444-448,1990)

<1991 年>

- 「Identification of Two Subtypes of Protein Kinase C in Human Placenta.」

S.Nomura,H.Tokumitsu,S.Mizutani,O.Narita,Y.Tomoda,and H.Hidaka.(Placenta,12:605-613,1991)

<1992 年>

- 「Induction by cortisol of aminopeptidases production from the human placenta.」

Y.Yasuda,S.Mizutani,O.Kurauchi,M.Kasugai,O.Narita,and

Y.Tomoda.(Horm.Metabol.Res.24:110-114,1992)

• 「Menotropin Stimulation After Prolonged Gonadotropin Releasing Hormone Agonist. Pretreatment for In Vitro Fertilization in Patient with Endometriosis.」

K.Nakamura,M.Osawa,I.Kondo,S.Inagaki,H.Shibata,O.Narita,N.Suganuma,and Y.Tomoda.(Journal of Assisted Reproduction and Genetics.9:113-117,1992)

- 「Long term pretreatment for IVF in patient with endometriosis.」

K.Nakamura,I.Kondo,S.Inagaki,T.Kitagawa,H.Fukugaki,M.Osawa,N.Suganuma,O.Narita,and

Y.Tomoda.(Advances Contraceptive Technology,8:99-1056,1992)

- 「Successful ovarian follicle stimulation by pure FSH/GnRH analog for IVF/ET.」

K.Yamaguchi,K.Nakamura,N.Suganuma,I.Kondo,Y.Asada,O.Narita,and Y.Tomoda.(Assisted Reproductive Technology/Andrology,3:305-313,1992)

- 「Source of prolactin in follicular fluid.」

M.Ohwaki,N.Suganuma,H.Seo,A.Nawa,F.Kikkawa,O.Narita,N.Matsui,and

Y.Tomoda.(Endocrinol.Japon,39(6):601-607,1992)